ECORAZOR 63

The ultimate solution in OTR Processing

- DESCRIPTION
- SPECIFICATIONS
- PHOTOS
- CONTACT

ECO GREEN
EQUIPMENT

OTR TIRE SYSTEMS

ECO RAZOR 63

The ultimate solution in OTR Processing

DESCRIPTION

The Eco Razor 63 is the ultimate in high quality rubber removal and preparation for down stream processing of the largest tires on earth. The patent pending technology allows processors to remove valuable rubber from all three sides of the tire. The rubber that has been removed is ready to be screened packaged, and sold. Small changes in the blade configuration allows flexability in the size of the output material to better target the most valuable size in the market. Once the high quality rubber has been removed and processed the remaining tire can be sent down stream for further processing.

OTR TIRE SYSTEMS

ECORAZOR 63

The ultimate solution in OTR Processing

FEAUTURES

Articulating head for three sided rubber removal

Adjustable knives for control of output size

Dual head for rasping of rubber

ITEMS

Tire size	Power
Out put material	Razor weigth
Capacity	Razor dims

SPECIFICATIONS

Up to 63” rim

Wire free rubber buffing chips

Up to 1 ton per hour (of liberated rubber)

125 HP

24,000 lbs

LxWxH 9,144x7,315x4,877(30´x24´x16´)

ECO GREEN EQUIPMENT

OTR TIRE SYSTEMS

ECORAZOR 63

The ultimate solution in OTR Processing

Whole mining tires ready for processing



Removal of high quality rubber from tread and side walls

Output from Eco OTR Razor

Tire split in half for products and further processing

Removal of metal bead

Sheared chunks after being split by the Eco Razer

Single pass from Eco Green Giant

Final output from Eco Green Giant

Wire free rubber from Eco Green Grater

Separated steel

Crumb rubber from the Eco Krumbuster

Rubber powder from the Eco Krumbuster

ECO GREEN
EQUIPMENT

www.ecogreenquipment.com

Call Now. Request a free quote:
USA +1 (801) 505-6841